

## Race & Street Performance

The oil: **real synthetic** formulation; **PolyAlphaOlefin (PAO)**.

Manufactured using a high stability viscosity improver.

This way the oil has achieved **superior qualities**; **high stability** and **stability under stress**, **good endurance against high temperatures** and **good properties of diminishing the wearing of engine parts**.

Your engine will stay clean longer and it will maintain it's maximun performance better.

Low evaporation loss at high temperatures and lower oil consumption helps to diminish combustion chamber deposits and soot formation.

For long oil change intervals. The oil will maintain it's superior qualities even when used for a long period. This is extremely important when having long oil change intervals.

5w40 and 10w60 grades are suitable for normal everyday street use and also for catalytic converters and particle filters; low sulphated ash(SAPS) and phosphorous content.

**So-called: LowFriction**, ability to lower fuel consumption and reduce wear of engine parts.

15w60 grade is strictly for racing use only! Do not stress the engine before the oil and engine reaches full operational temperature. **Do not mix with other oils or additives !**

Technical information:	Street	Race	Race
	5w40	10w60	15w60
SAE:	C3	C3	-
ACEA-16:	C3	C2/C3	-
ACEA-12:	C3	A3/B3/C2/C3	(Race use only)
ACEA-08:	A3/B3/C2/C3	SM-SN / CF	SL
API:	SM-SN / CF	SM-SN / CF	SL
Visc. +40c, cSt	92	159	180
Visc. +100c, cSt	14,9	24,4	26,1
Visc.index:	170	186	180
Visc.CCS,mPas	5.380(-30c)	3.770(-25c)	3.110(-20c)
Pour Point:	-42 C	-39 C	-36 C
HTHS (+150c),mPas:	4,0	4,9	5,6
Sulphate ash:	0,8 %	0,8 %	
Phosphorous:	0,08 %	0,08	
TBN:	8,0	8,0	
Colour:	Violet	Violet	

**5w40 Street:**  
 BMW: Longlife-01 & -04,  
 Ford: WSS-M2C917A,  
 GM/OPEL: Dexos-2,  
 MB: p229.51/p229.31,  
 Porsche A40,  
 Renault: RN0700/0710  
 VW: 504/507

**10w60 Race:**  
 BMW: Longlife-01,  
 MB: p229.51/p229.31,  
 Porsche,  
 VW: 502/505

Values may vary/change, Please note that these properties do not constitute a specification and are not an warranty or guarantee of any properties.

